

# ACME Crib App User Guide

Version 1.0

#### Copyright © 2022 Infor

#### Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident, or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material, and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws or use such materials for any purpose prohibited by such laws.

#### Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade, or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: ACME Crib App User Guide

Publication date: April 29, 2022

### Contents

Contents	3
About this guide	4
Intended audience	4
Contacting Infor	4
Dverview	5
nstallation	6
Document history	. 12
Net change history	. 13

### About this guide

This guide describes the installation and operation of ACME Crib app. It contains real-life examples of applications built on the Mongoose framework.

#### Intended audience

This guide is intended for users who are integrating Mongoose with Infor Go, so they can run applications seamlessly from their mobile device.

For a live demo for ACME Crib app, click <u>here</u>.

#### Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <u>https://concierge.infor.com/</u> and create a support incident.

### Overview

You can use Mongoose to integrate with Infor Go, so you can run applications seamlessly from your device.

For a live demo for ACME Crib app, click <u>here</u>.

#### Installation

Use these procedures to download and install ACME Crib App. Ensure that you have watched the video linked in the overview before getting started.

#### Installing ACME Crib app

- 1. From the Mongoose environment, go to Select Form.
- 2. In the **Filter** section, specify **deployment**.
- 3. Verify that the **Select by Name Instead of Caption** check box is selected and the **Case-sensitive** check box is cleared.
- 4. Select **Deployment** from the list.
- 5. Click OK.

		0 💌	- ∰ - ≯	* <i>1</i>	Ф	Ø		
Select	Form							×
	Name						Caption	
Deployment	4-1-			Dep	loyment			
DeploymentBa	tchImport							
DeploymentFo	rmTransferDemo							
DeploymentMe	erge							
Deploymentaw	sigera							
Select by Na	ame Instead of Capt	ion						
<ul> <li>Filter ——</li> </ul>								
All containing:	deployment							
/ in containing.	acproyment							
	Case-sensitive							
				Canael	_			

6. In the Deploy Applet section, specify the location of the **Mongoose Crib App Demo.zip** file in the Source File field.

Optionally, click the ellipsis icon to locate the file.

Deployment a <sup>k</sup> k <sup>7</sup> X									
	Profile Name	Access As	Object Prefix	Script Application Database	Include data	Script Forms Database	Script Objects D	atabase	
1)	ACME	(null)						2	
2	PortalAK	InforOS_	PortalAK_					4	
*									
	Export u	sing AccessAs a	and Object Prefix	O Export us	sing forms, selec	ted items and referenced it	ems		
E	xport Applet -								
-	nport/ipprot	Profile Name:	ACME						
		Access As:	(null)	• 0					
		Object Prefix:							
			Script Application Data	base	🗸 Include data				
			Script Forms Database		Scope: Vend	lor –			
			Script Objects Databas	e					
		Output:							
			Create Scripts	View Log					
	anlau Anniat								
D	epioy Appier	Reurse File:							
		Source File.	C:\Users\jtran\Desktop\Dat	aviewer\Deployment Import.zip					
			Execute Scripts	View Log					

- 7. Click Execute Scripts.
- 8. To unload your cache, click Form and select Definition > Unload All Global Form Objects.

Optionally, press Ctrl + U on your keyboard.

#### Installing Form Sync

- 1. From the Mongoose environment, go to **Select Form**.
- 2. In the **Filter** section, specify **formsync**.
- 3. Verify that the **Select by Name Instead of Caption** check box is selected and the **Case-sensitive** check box is cleared.
- 4. Select **FormSync** from the list.
- 5. Click OK.

Installation

=

xplorer	Form -	Edit -	View -	Winde	ow ≁ H	lelp -		
					*			
	- 6							
		🛟 Sele	ect Forn	ו				×
				Name			Caption	
		FormSynd	Cuenti land				Form Sync	
		FormSynd	:EventHand :Log	er			FormSync Log	
		FormSynd	Script				FormSync Script	
		Colort I	w Nome Inc	load of Cont	ion			
			by Marile Ins	leau oi Capi	ion			
		- Filter	-					
		All containi	ing: forms	nc				
		1						
			Ca	se-sensitive				
			Ca	se-sensitive				

- 6. Select both **Source** and **Target** as your current environment.
- 7. Click OK.
- 8. Click Utilities.

### Installing Form Permissions

- 1. From the Mongoose environment, go to Select Form.
- 2. In the **Filter** section, specify **UsersMaint**.
- 3. Verify that the **Select by Name Instead of Caption** check box is selected and the **Case-sensitive** check box is cleared.
- 4. Select **UsersMaint** from the list.
- 5. Click OK.

Name	Captio	n
JsersMaint	Users	
UsersMaint_CP	Users	
UsersMaintQuery	Users Query	
Select by Name Instead of Caption		
Filter		
	]	
Il containing: usersmaint		
Il containing: usersmaint		

6. To filter the results, specify the User Description or User Name.

#### Installation

s			م <sup>د</sup>	¥،	•
	User Name	User Name: Aamir.Meman@infor.com Super User			
	Aamir.Meman@infor.com				
	abhishek.shetti@infor.com	User Description: Aamir Mahmedfiroj Meman			
	aisan.maghsoodi@infor.com	Workstation Domain/ID: DF1913BA-AAD5-4CAA-813C-FB452FC49150			
	aKarter				
	Alicia.An@infor.com	User Password:			
	amena.khan@infor.com	Confirm Password:			
	andrew.kopas@infor.com	X manufacture			
	andy.Johnson@infor.com	Editing Permissions: Site Developer + User Modules Row Authorizations User Authorizations	tions		
	ANIKO.KOSZO@INFOR	Groups Login Information E mail Address Source Control			
	Aravind.Gondra@infor.com	Groups Login mormation E-mail Address Source Control			
	Ardie.Aquino@infor.com	Group Name Group Description *Primary Group	^		
	Arjan.Hammink@infor.com	1 Infor-SystemAdministrator Infor Administration Group			
	Ashok.Gangisetty@infor.com	2 AttributeServiceCaller This is an IFS role that allows the user to	]		
	austin.niemeier@infor.com	3 DataAdministrator This is an IFS role that allows the user to	j		
	Austin.Preece@infor.com	4 HOMEPAGES-Administrator Users with this role are Administrators in	j		
	balasubrahmanyam.nacha	5 HOMEPAGES-ContentAdministrator Users with this role are Content Administr	j		
	Bas.Blankesteijn@infor.com	6 HOMEPAGES-User Users with this role have access to Home	)		
	Bblake@infor.com	7 IFS-AuditAdministrator User having this role can configure audit r	]		
	ben.harbron@infor.com	8 IFS-AuditReportUser User having this role can view audit reports.	j		
	Boaz.Fontijn@infor.com	9 IFS-ExternalEntityAdmin Administrators having this security role ca	]		
	bob.beynon@infor.com	10 IFS-MonitorAdministrator User having this role can configure monit	j		
	Bojan.Rafajloski@infor.com	11 IFS-MonitorReportUser User having this role can view monitoring	) ~		
	bradley.stillwell@infor.com	Group Authorizations Copy Groups From User			
	brian pearce@infor.com				

7. Select a common group and click the **Group Authorizations** button.

For Single user access, click **User Authorization**.

- 8. Unload the cache for **ACME\_App**:
  - a. On the modal form pop-up, add a new record.
  - b. For the Object name, select or specify **ACME\_App**
  - c. Click Save.
  - d. Click Form and select Definition > Unload All Global Form Objects.
- 9. Unload the cache for VAL\_ItemsTile:
  - a. On the modal form pop-up, add a new record.
  - b. For the Object name, select or specify ACME\_App
  - c. Click Save.
  - d. Click Form and select Definition > Unload All Global Form Objects.

Form Sync	א <sup>ע</sup> ע <sup>א</sup>
Synchronization options Restore Defaults Export Settings Import Setting	ings Utilities
Synchronization base level: Vendor v	Configurations
Only process objects changed at the synchronization base level	View Log
Delete only matching base level forms and objects	
Process scripts as single objects Log d	detail: Main Actions -
Forms Explorer Global Objects	<b>*</b>
How to handle customized forms in the Target configuration	
O Leave customized forms untouched	
O Remove customized forms V Prompt before removal	
Merge customized forms with base-level forms     Merge options	
O Do not process forms	
Filter	
Form Name:	
Show only forms with customized versions	
Runtime changes —	
Remove runtime changes when form replaced	
Method and global script parameters	
Check signatures for parameter mismatches	
Compare parameters by name	
	Cursheening
	synchronize

- 9. Click the Licenses tab and select Refresh Form List.
- 10. Scroll to find ACME\_App and VAL\_ItemsTile and select the check box.
- 11. Click Generate Form License.
- 12. To unload your cache, click **Form** and select **Definition > Unload All Global Form Objects**.

Optionally, press Ctrl + U on your keyboard.

### Document history

Version	Date	Comments
1.0	2022-04-29	Initial version TECDOC-11588

## Net change history

Date	Description	KB article
2022-04-29	Initial version TECDOC-11588	